

SCOTTISH BIRDS

INDEX

*TITLE PAGES AND
LIST OF ILLUSTRATIONS*

Volume 2

1962 - 1963

SCOTTISH BIRDS - BINDING

Arrangements have been made for binding Volume 2 of "Scottish Birds." The charge is 16/10d for binding in red buckram, or 20/5d for binding in red quarter leather, both prices including return postage. The parts to be bound (Nos. 1 to 8, Tentsmuir Supplement, and Index) should be sent direct to the binders together **with your remittance to cover the cost of binding.** Back numbers may be purchased from the Scottish Centre for Ornithology and Bird Protection, 21 Regent Terrace, Edinburgh 7, at 5/- each, but **not** from the binders. **Please be sure to complete the binding form on the back cover** (with details of your name and address, remittance, and style of binding required) before sending the parts to:

G. BLUNT & SONS LTD.
North Acton Road
Harlesden
LONDON N.W.10

Scottish Birds

*THE JOURNAL OF
THE SCOTTISH ORNITHOLOGISTS' CLUB*



Edited by
A. T. MACMILLAN

with the assistance of
D. G. ANDREW T. C. SMOUT

Business Editor, T. C. SMOUT

VOLUME 2

1962 - 1963

Printed by Walter Thomson, Selkirk

LIST OF ILLUSTRATIONS

Plates		Pages
1-2 Immature Ivory Gull at Stornoway (W. A. J. Cunningham)	31-32
3 Adult Ivory Gull at Scalloway (J. Peterson)	33
4 Stornoway Castle and Woods (W. A. J. Cunningham)	79
5 Aggressive cock Capercaillie (C. E. Palmar)	80
6 Snowy Owl	98
7 Morton Lochs. Aerial view from the south (University of Cambridge)	137
8 Earlshall Moor, deciduous wood (J. Berry)	138
9 Earlshall Moor, Black-headed Gull colony (J. Grierson)	139
10 Tentsmuir Point (J. Berry)	140
11 Pair of Buzzards at nest (L. MacNally)	197
12 Turnip attacked by Grey Lag Goose	237
13 Green Sandpiper in Berwickshire (S. J. Clarke)	264
14 Inchmickery (A. T. Macmillan)	295
15 St Kilda. Old storehouse where Tree Sparrows bred (W. E. Waters)	296
16 Personalities of the 1962 S.O.C. Conference (C. E. Palmar)	321
17 Gannet on the Bass Rock (J. B. Nelson)	361
18 Helena Howden Bothy on Handa. In 1960, before restoration (A. A. MacGregor); and in 1962, after restoration (G. Waterston)	362
19 Water Rail at Moffat refuse tip (E. Dicerbo)	375
20 Fair Isle. North Haven and observatory (Angela Davis)	401
21 Fair Isle. Peter Davis with Kittiwake (Angela Davis)	402
22 Osprey landing on eyrie, Inverness-shire (J. A. McCook)	451
23-25 White-billed Diver compared with skins of Great Northern, Black-throated and Red-throated Divers (I. D. Pennie)	479-481
26 The late Betty Garden (J. MacGeoch)	482

INDEX

The index is in three parts. The first is a general index to the various sections of the journal; the second is a list of all papers and short articles; and the third is an index of all significant mentions of each species. English names are used throughout, but a key to scientific names is given at the end. Only the first page of each reference is given, except in the index of papers and short articles.

The index to species is selective, not comprehensive. Titles of papers and short notes dealing with particular species are included in abbreviated form, and some other sub-headings are added; otherwise only page numbers are given. All references have been indexed from short and current notes, reviews of changes in status, local status lists, and lists of unusual occurrences. Since most contributions are concerned with migration and distribution of birds in Scotland it may generally be assumed that where no further details of the references listed under particular species are given they are in this category. Passing and comparative references have usually been omitted, and also references within the body of papers, reviews, obituaries and other contributions, unless these are status reports or considered of special interest apart from the context in which they are mentioned. In particular it should be emphasised that detailed and valuable information on migration and numbers of common birds, in papers such as the Isle of May reports, finds no place in the index to species.

REGULAR FEATURES

Corrections 394, 447, 495, 497

Correspondence 219, 450

Current Notes 40, 102, 200, 253, 311, 369, 428, 483

Editorial 1, 65, 165, 225, 277, 341, 397, 457

Obituary

Dr Vernon D. van Someren 108

Dr Constance Higginbottom 340

Miss Elizabeth A. Garden 495, Plate 26

Ian R. Downhill 497

Official Section (S.O.C.) 57, 111, 220, 270, 336, 395, 453, 498

Reports

1962 S.O.C. Solway Weekend 63, 224

1962 S.O.C. Annual Conference 301, Plate 16

1962 S.O.C. Northern Counties Conference 393

1963 European Meeting on Wildfowl Conservation 473

Requests for Information 111, 394, 452

Reviews

D. A. Bannerman & G. E. Lodge: *The Birds of the British Isles* Vol. X 25, Vol. XI 331

G. Christian: *Down the Long Wind* 27

K. Tottenham: *Bird Doctor* 28

R. A. Richardson: *Check-list of the Birds of Cley and Neighbouring Norfolk Parishes* 109

Council for Nature: *A List of 16mm Films on Natural History Subjects, Part 1: The British Isles and Europe* 109

W. B. Yapp: *Birds and Woods* 215

K. Richmond: *Birds in Britain* 218

- H. Boase: Birds of North and East Perthshire 266
 K. Williamson: Identification for Ringers. No. 2: The Genus *Phylloscopus* 268
 V. C. Wynne-Edwards: Animal Dispersion in relation to Social Behaviour 326
 J. Dorst: The Migrations of Birds 329
 P. Brown & G. Waterston: The Return of the Osprey 332
 G. Davies (Editor): The "Bird Notes" Bedside Book 333
 F. W. Lane: Animal Wonderland 335
 R. Carson: Silent Spring 384
 O. L. Austin Jr.: Birds of the World 386
 H. Boase: Birds of Angus 388
 G. des Forges & D. D. Harber: A Guide to the Birds of Sussex 388
 H. Makowski: Every Child's Book of Birds and Bird-watching 389
 R. S. R. Fitter: Collins Guide to Bird Watching 389
 G. E. Hyde: A Primer of Ornithology 389
 J. D. Summers-Smith: The House Sparrow 391
 D. H. Mills: The Goosander and Red-breasted Merganser as Predators of Salmon in Scottish Waters 392
 G. Mountfort: Portrait of a River 392
 K. Williamson & J. Morton Boyd: A Mosaic of Islands 393
 R. K. Cornwallis & A. E. Smith: The Bird in the Hand 393
 T. Stokes & K. Shackleton: A Sailor's Guide to Ocean Birds: Atlantic and Mediterranean 448
 H. Lidman: People of the Forest 448
Short Notes 29, 96, 196, 242, 304, 363, 417, 474
Without Comment 166, 241, 368

PAPERS AND SHORT ARTICLES

- The spring departure of Common Gulls from Scotland (W. R. P. Bourne & I. J. Patterson) 3-17
 Isle of May Bird Observatory and Field Station report for 1961 (W. J. Eggeling & A. Macdonald) 18-25; 1962 (N. J. Gordon) 278-286
 Autumn migration at St Kilda in 1961 (W. E. Waters) 66-74
 Some notes from Skerryvore Lighthouse (W. A. Cameron) 74-76
 Notes from the Bass Rock (J. B. Nelson) 76-78, 357-360, Plate 17
 Aggressive Capercailles (D. Jenkins & C. K. Mylne) 81-84
 The Waxwing invasion of November 1961 (A. T. Macmillan) 85-89
 The Stornoway Woods (W. A. J. Cunningham) 89-96
 A check-list of the birds of Tentsmuir, Fife (J. Grierson) 113-164, 497
 A century of bird-watching in Sutherland (I. D. Pennie) 167-192
 Review of ornithological changes in Scotland in 1961 (J. W. Campbell) 192-196; 1962 (D. G. Andrew) 342-350
 The birds of St Kilda—winter 1961-62 (W. E. Waters) 227-233
 Feeding habits of the Grey Lag Goose on the Island of Bute (Janet Kear) 233-239
 Roseate Terns breeding on the mainland of Fife in 1956 (C. K. Mylne) 239-241
 Roseate and Sandwich Tern colonies in the Forth and neighbouring areas (G. L. Sandeman) 286-293; letter (G. Hickling) 450
 Migrants at St Kilda in 1962 (W. E. Waters) 293-300
 Notes from Island Roan, Sutherland (I. R. Downhill) 351-357
 Handa Bird Reserve, 1962 (G. Waterston) 360-363, Plate 18

- Recent developments at Fair Isle (P. Davis) 400-410, Plates 20-21
 Notes on the birds of Bearasay, Lewis (M. Robson & P. Wills) 410-414
 Bird watching on the Ythan estuary (G. M. Dunnet) 414-416
 Observations on the Fulmar at St Kilda (W. E. Waters) 459-468
 Scots in Denmark (T. C. Smout) 468-471
 A fall of migrants on a North Sea crossing (P. G. R. Barbier) 471-473

INDEX TO SPECIES

- AUK, LITTLE, 77, 150, 208, 379, 438; summer 199
- BALDPATE, Tentsmuir 133, 163
- BITTERN, 132, 163, 168, 312, 373, 383
- BLACKBIRD, 72, 74, 77, 95, 130, 155, 163, 228, 229, 232, 283, 299, 312, 356, 358, 371, 432; multiple nests 37, 447; albino 447
- BLACKCAP, 22, 76, 78, 156, 186, 211, 322, 416, 442; winter 53, 91, 95, 106, 322, 372, 381, 442
- BLUETHROAT, Isle of May 19, 283; St Kilda 69, 72
- BRAMBLING, 78, 96, 106, 158, 163, 213, 359, 382; breeding 175; June 433, 444
- BULLFINCH, 55, 158, 188, 267, 429, 432; Northern race 22, 55; albino 495
- BUNTING, CORN, 130, 158, 163, 263, 432, 444
- BUNTING, LAPLAND, 20, 22, 56, 73, 213, 263, 281, 300, 324, 356, 359, 382
- BUNTING, ORTOLAN, Isle of May 281; Lewis 418
- BUNTING, RED-HEADED, Isle of May 195; Little Cumbrae 252; St Kilda 300; Dumfries 444
- BUNTING, REED, 78, 130, 159, 163, 267, 283, 300, 356, 432, 444
- BUNTING, RUSTIC, Isle of May 283
- BUNTING, SNOW, 56, 73, 74, 78, 106, 108, 159, 213, 232, 263, 267, 300, 324, 356, 359, 372, 408, 416, 432; June 493
- BUNTING, YELLOW-BREASTED, Isle of May 22
- BUZZARD, 48, 92, 95, 141, 179, 256, 314, 354, 363; lost in Edinburgh 30; weight 44; prey 196, plate 11, 325, 446
- BUZZARD, HONEY, N. Fife and possible breeding 142
- BUZZARD, ROUGH-LEGGED, 44, 141, 435, 487; weight 44
- CAPERCAILLIE, 143, 181, 315, 378; aggressive behaviour 81, plate 5
- CHAFFINCH, 74, 78, 90, 96, 130, 158, 163, 300, 359, 372, 432; pale plumage 447
- CHIFFCHAFF, 72, 90, 95 (correction 350), 186, 194, 200, 212, 322, 348, 359, 443, 492, 494; November 53, 322, 381
- CHOUGH, 185, 394, 492
- COOT, 49, 130, 144, 163, 370, 372; shell stripped from egg 34
- CORMORANT, 132, 312, 353, 357, 363, 413; inland 103, 201
- CORNCRAKE, 95, 130, 143, 181, 205, 263, 298, 383, 436 (corrected 495)
- CRAKE, BAILLON'S, Tentsmuir 143
- CRAKE, LITTLE, Tentsmuir 143; Edinburgh 378
- CRAKE, SPOTTED, Midlothian 30 (letter 219); Kirkcudbright 426
- CRANE, Aberdeen, Fife, Inverness, Lanark, Fair Isle and Shetland 245, 422
- CROSSBILL, mainly immigrants 96, 158, 262, 283, 300, 324, 359, 373, 382, 493; breeding in Angus 478
- CROSSBILL, PARROT, Fair Isle 408; Scottish Crossbill 44
- CROW, CARRION, 52, 92, 130, 153, 163, 184, 358; albino 215; hybrids 52
- CROW, HOODED, 52, 92, 95, 130, 153, 184, 228, 232, 355, 360, 381, 440; hybrids 52

- CUCKOO, 92, 95, 107, 130, 151, 163, 208, 439, 491; rufous phase 446
- CURLEW, 50, 70, 95, 104, 130, 145, 162, 163, 205, 298, 354, 357, 363, 371, 416, 432
- DIPPER, 93, 95
- DIVER, BLACK-THROATED, 103, 131, 163, 253, 353, 371, plates 23-24
- DIVER, GREAT NORTHERN, 94, 103, 131, 230, 297, 353, 363, 371, 373, 415, 433, plates 23-25; inland 44, 253, 373; summer 69, 173, 253
- DIVER, RED-THROATED, 103, 131, 283, 353, 371, 415, 433, plates 23-24; inland in winter 131, 163, 200, 373, 433; breeding status 268, 360; albino 383
- DIVER, WHITE-BILLED, Tay 131; Fair Isle 192; Sutherland 474, plates 23-25
- DOTTEREL, 145, 163, 172, 182, 205
- DOVE, COLLARED, status and spread 42, 93, 95, 194, 195, 199, 247, 260, 309, 318, 346, 349, 380, 383, 438, 491, 494
- DOVE, ROCK, 93, 95, 355, 360; request for information 452
- DOVE, STOCK, 130, 151, 163, 183
- DOVE, TURTLE, autumn 19, 107, 491; June 208, 438, 494
- DOWITCHER, review of Scottish records 195
- DUCK, LONG-TAILED, 70, 134, 202, 231, 313, 344, 374, 415; inland 46, 73, 134, 163, 313
- DUCK, RING-NECKED, first in Scotland 476
- DUCK, TUFTED, 40, 69, 130, 134, 163, 176, 254, 267, 297, 370, 415, 476, 496
- DUNLIN, 71, 130, 147, 162, 163, 214, 258, 263, 265, 298, 325, 354, 379, 415
- DUNNOCK, see SPARROW, HEDGE,
- EAGLE, GOLDEN, 141, 163, 168, 173, 178, 193, 363; prey 56, 214
- EAGLE, WHITE-TAILED, Sutherland 168, 173, 179
- EGRET, LITTLE, Shetland and Orkney 29, 192
- EIDER, 74, 116, 125, 130, 135, 163, 177, 231, 344, 353, 357, 360, 371, 414
- EIDER, KING, Tentsmuir 135; Shetland 245
- FALCON, GYR, Tentsmuir 142; Dunbarton/Stirling 193
- FALCON, ICELAND, Midlothian 96
- FALCON, RED-FOOTED, Fife 142, 344; Inverness and Berwick 193; Orkney 422
- FIELDFARE, 22, 53, 72, 74, 77, 94, 95, 154, 163, 210, 232, 299, 312, 320, 358, 371, 372, 383, 416, 440
- FLYCATCHER, COLLARED, Orkney 478
- FLYCATCHER, PIED, 44, 66, 72, 78, 156, 214, 262, 348, 359, 443, 483, 492; request for information 111
- FLYCATCHER, RED-BREASTED, autumn 78, 283, 323, 359, 416
- FLYCATCHER, SPOTTED, 78, 95, 130, 156, 163, 212, 262, 359, 443, 484, 492
- FRIGATE BIRD, Aberdeen 196, 343
- FULMAR, status and movements 23, 103, 132, 176, 201, 214, 230, 284, 305, 349, 353, 359, 360, 371, 412, 414, 417, 433, 484; observations at St Kilda 459; inland 201, 433, 485; "Blue" 253, 324, 353; big nest 265
- GADWALL, 40, 45, 64, 103, 130, 133, 163, 176, 254, 343, 374, 485
- GANNET, 40, 132, 201, 230, 305, 353, 359, plate 17, 371, 485; inland 40, 201, 265 (feeding), 312, 343, 485; winter 312
- GARGANEY, 133, 163, 192, 201, 343, 433, 485
- GODWIT, BAR-TAILED, 21, 41, 146, 162, 163, 193, 257, 265, 325, 345, 354, 407, 416, 488; unusual behaviour 247
- GODWIT, BLACK - TAILED, spring 41, 146, 163, 205, 263, 436, 493; summer 146, autumn 41, 50, 146, 163, 256, 315, 345, 416, 487, 493; winter 50, 104, 146, 163, 315

- GOLDCREST, 22, 54, 66, 72, 78, 90, 91, 95, 130, 156, 187, 348, 359, 364, 373, 416, 431, 432
- GOLDENEYE, 46, 66, 70, 134, 163, 344, 370, 374, 415, 476; late spring and summer 202, 254, 434, 485; aggressive behaviour 243
- GOLDFINCH, 22, 54, 74, 91, 96, 157, 163, 188, 214, 262, 323, 348, 359, 429
- GOOSANDER, 46, 104, 136, 163, 177, 313, 415, 485; food 392
- GOOSE, unidentified 47, 73
- GOOSE, BARNACLE, 47, 64, 104, 141, 163, 178, 204, 298, 307 (correction 394), 314, 344, 353, 361, 363, 377, 434, 486; summer 486
- GOOSE, BEAN, 47, 136, 163, 172, 193, 202, 376, 434
- GOOSE, BRENT, Dark-breasted 314; Light-breasted 141, 314, 377; race unknown 47, 141, 178, 377
- GOOSE, CANADA, 41, 204, 255, 283, 344, 349, 377, 434, 486
- GOOSE, GREY LAG, winter status and movements 46, 130, 136, 163, 202, 255, 313, 344, 363, 376, 415, 486; late spring and summer 44, 136, 172, 177, 202, 254, 298, 434, 486; feeding habits on Bute 233, plate 12; albino 56
- GOOSE, PINK-FOOTED, winter status and movements 47, 76, 136, 163, 202, 255, 263, 298, 324, 371, 415, 486; late spring and summer 202, 254, 486; mortality of young 29; albino 56, 107, 214; request for information 111
- GOOSE, ROSS'S, records and problems of escapes 306, 344, 418
- GOOSE, SNOW, records of Greater, Lesser and Blue Snow Geese and problems of escapes 64, 141, 193, 203, 306, 313, 344, 377, 418, 434
- GOOSE, WHITE-FRONTED, European race 193, 202; Greenland race 47, 64, 313, 376; race unknown 104, 136, 376
- GOSHAWK, Dunbarton 420
- GREBE, BLACK-NECKED, correction 57; spring and summer inland 131, 163, 201, 253, 349, 433; on sea 131, 433, 444
- GREBE, GREAT CRESTED, breeding 324, 433; on sea 131, 201, 253, 371, 484; inland in December 312
- GREBE, LITTLE, 40, 94, 131, 371; breeding 130, 131, 163
- GREBE, RED-NECKED, passage and winter on sea 45, 103, 131, 163, 201, 253, 312, 371, 373, 415, 433, 484; inland 131, 163, 192, 373
- GREBE, SLAVONIAN, breeding 176, 242, 348, 382; others inland 131, 163; on sea 69, 73, 103, 131, 163, 283, 312, 484
- GREENFINCH, 22, 57, 78, 91, 96, 130, 157, 163, 188, 372, 432
- GREENSHANK, correction 57; summer 488; autumn 21, 41, 51, 95, 147, 163, 257, 316, 354, 357, 416, 488; winter 51, 105, 147, 206, 316, 379, 444; spring 206, 214, 436
- GROUSE, BLACK, 82, 130, 143, 181, 205, 314, 435, 446; request for information 452
- GROUSE, RED, 130, 143, 315, 354, 414; behaviour 82, 265
- GUILLEMOT, 94, 151, 305, 355, 360, 371, 413, 466
- GUILLEMOT, BLACK, 21, 94, 151, 413; breeding 355, 360; timed dives 494
- GULL, Edinburgh in 1836 166; "legless" 384, 494
- GULL, BLACK-HEADED, 71, 74, 75, 95, 126, 130, plate 9, 149, 163, 183, 195, 231, 299, 355, 357, 371, 383, 414, 437; pink coloured 97
- GULL, COMMON, 71, 74, 95, 107, 149, 163, 206, 259, 299, 349, 355, 357, 363, 371, 437, 490; spring departure from Scotland 3, 206, 357, 437, 494; tree nest 266
- GULL, GLAUCOUS, winter on sea 21, 34, 35, 52, 94, 105, 207, 231, 259, 282, 317, 379, 490; inland 51; July 149, 259, 490
- GULL, GREAT BLACK-BACKED, 42, 77, 95, 148, 163, 182, 231, 278, 284, 317, 325, 346, 355, 360, 379, 413, 415, 437; gorged on caterpillars 42

- GULL, HERRING, 95, 130, 148, 163, 195, 206, 231, 259, 284, 355, 360, 371, 413, 415; albino 56, 107, 490; unusual nest sites 266, 490; "legless" 384, 494
- GULL, ICELAND, winter on sea 21, 34, 95, 105, 149, 207, 259, 346, 379, 437, 490; inland 207, 346; July 259, 490
- GULL, IVORY, Lewis and Shetland 34, plates 1-3; Perth 346
- GULL, LESSER BLACK-BACKED, 71, 75, 95, 148, 163, 182, 284, 355, 360, 437; winter 51, 64, 317, 437; Scandinavian race 51, 148, 317, 494
- GULL, LITTLE, 149, 163, 194, 207, 259, 263, 283, 299, 317, 346, 437, 490
- GULL, MEDITERRANEAN BLACK-HEADED, first in Scotland 408
- GULL, SABINE'S, Tentsmuir 149
- HARRIER, HEN, passage and winter 48, 142, 163, 193, 256, 267, 421, 435, 487; breeding 180
- HARRIER, MARSH, 142, 163, 193, 256, 344, 435, 487; breeding 142
- HARRIER, MONTAGU'S, breeding 349; Aberdeen 478
- HAWFINCH, 213, 493
- HERON, 69, 73, 76, 95, 132, 163, 254, 353, 357, 363; breeding 130, 132
- HERON, NIGHT, Orkney 475
- HOOPOE, Isle of May, 22; Selkirk 194
- IBIS, GLOSSY, Sutherland 364
- JACKDAW, 52, 92, 95, 130, 153, 163, 185, 232, 299, 347, 358, 363, 432; abnormal beak and plumage 266
- JAY, 53, 130, 154, 194, 210, 494
- KESTREL, 75, 95, 107, 130, 143, 163, 298, 354, 360, 432; clinging to pole 265; nesting close together 446
- KINGFISHER, southern Scotland 51, 105, 261; Tentsmuir 152, 163; Sutherland 318
- KITE, old breeding records and confusion of localities 174, 179, 268
- KITTIWAKE, 23, 52, 75, 149, 207, 230, 232, 284, 305, 317, 355, 360, 371, 437, 459; inland 105, 149, 163, 207, 259; orange legs 266
- KNOT, 42, 68, 71, 147, 162, 265, 298, 325, 345, 354, 371, 379, 415, 493; inland 258, 379; from Canada 71
- LAPWING, 49, 70, 73, 95, 130, 144, 163, 231, 298, 315, 354, 360, 371, 372, 378, 416, 430, 432
- LARK, SHORE, 22, 105, 152, 319, 347
- LARK, WHITE-WINGED, rejected 347
- LINNET, 23, 76, 78, 94, 130, 158, 163, 284, 323, 359, 432
- MAGPIE, 107, 130, 153, 185, 210, 261, 320, 440, 492
- MALLARD, 73, 130, 132, 161, 163, 201, 231, 254, 267, 297, 353, 357, 363, 370, 371, 415; albino 265
- MARTIN, HOUSE, 52, 71, 93, 95, 130, 152, 163, 184, 200, 209, 261, 299, 358, 440; late October/November 52, 107, 152, 282
- MARTIN, SAND, 103, 130, 152, 163, 200, 209, 440
- MERGANSER, RED-BREASTED, 70, 73, 94, 135, 163, 298, 313, 353, 370, 374, 485; food 392
- MERLIN, 49, 70, 73, 77, 92, 95, 142, 163, 180, 298, 314, 354, 363; taking newly hatched passerines 245
- MOORHEN, 93, 95, 130, 144, 163, 372, 436; numbers 378; 21 eggs 446
- NIGHTINGALE, Isle of May 283
- NIGHTJAR, 166, 184, 260, 439, 444
- OSPREY, 180, 205, 256, 314, 422, 435, 487, 493; breeding 171, 172, 180, 268, 435, plate 22; analysis of egg 457
- OUZEL, RING, 22, 75, 77, 200, 210, 262, 267, 356, 358, 441, 492; November 53; call note 53
- OWL, BARN, 21, 43, 64, 151, 194, 208, 263, 318, 380; breeding in Sutherland 36
- OWL, LITTLE, Midlothian 194; Dumfries 248; Berwick 260, 380; East Lothian 380
- OWL, LONG-EARED, 52, 92, 151, 163, 282, 380; breeding 130, 151; food 56
- OWL, SHORT-EARED, 20, 21, 74, 92, 151, 163, 183, 267, 282, 318, 355, 380, 439; breeding 92, 130, 151, 183, 267

- OWL, SNOWY, Angus, Aberdeen and Banff 99, plate 6; Fife 151
- OWL, TAWNY, 92, 95, 130, 151, 163, 432; food 383
- OWL, TENGMALM'S, Orkney 194
- OYSTERCATCHER, 70, 95, 144, 162, 163, 181, 205, 214, 231, 284, 354, 357, 360, 370, 371, 413, 415; albino 107, 214
- PARTRIDGE, 130, 143, 163, 315, 432
- PARTRIDGE, RED-LEGGED, Perth 96, 345
- PELICAN, 196, 350
- PEREGRINE, 70, 76, 95, 104, 107, 142, 163, 180, 231, 298, 354, 357, 360, 378, 435, 459; food 325
- PETREL, LEACH'S, inland 201; possible breeding on Bearasay 412
- PETREL, STORM, 132, 283, 413; inland 40; breeding 353
- PHALAROPE, 51, 66, 71, 345
- PHALAROPE, GREY, 51, 148, 317
- PHALAROPE, RED-NECKED, old breeding records 172, 174, 268; autumn 490
- PHALAROPE, WILSON'S, Dumbarton 366
- PHEASANT, 130, 143, 163, 315
- PINTAIL, passage and winter 45, 104, 133, 161, 163, 201, 353, 371; breeding 40, 133, 349; correction 349
- PIPIT, MEADOW, 72, 76, 78, 96, 130, 156, 163, 262, 284, 300, 356, 359, 360, 432
- PIPIT, RED-THROATED, St Kilda 69, 72, 100
- PIPIT, ROCK, 76, 94, 157, 229, 232, 348, 356, 363, 372, 413
- PIPIT, TAWNY, Lewis 250, 348; Isle of May 283
- PIPTREE, 156, 187, 262, 443
- PLOVER, GOLDEN, 49, 70, 73, 75, 95, 130, 145, 163, 205, 265, 298, 312, 315, 325, 354, 360, 371, 383, 415, 487
- PLOVER, GREY, 64, 144, 163, 205, 354, 416, 436, 487; inland 49, 144, 163
- PLOVER, KENTISH, Aberdeen 246, 345
- PLOVER, RINGED, 41, 70, 130, 144, 163, 205, 214, 298, 354, 357, 360, 416
- POCHARD, 45, 134, 163, 202, 312, 370, 415, 476
- POCHARD, RED-CRESTED, Tentsmuir 134, 163
- PTARMIGAN, 180, 267
- PUFFIN, 23, 151, 208, 269, 278, 284, 318, 355, 360; recovered in Greenland 407; early return to cliffs 379
- QUAIL, 21, 143, 163, 256, 487
- RAIL, WATER, passage and winter 49, 75, 95, 143, 163, 231, 282, 312, 315, 365, 378, 415; scavenging in open 365, plate 19, 378; breeding 487
- RAVEN, 44, 92, 95, 184, 228, 232, 261, 320, 355, 360, 413
- RAZORBILL, 150, 208, 305, 355, 360, 371, 413
- REDPOWELL, race not known 55, 73, 188, 195, 267, 324, 356
- REDPOWELL, ARCTIC, Lewis 251, 348; Inverness 427
- REDPOWELL, GREENLAND, breeding in Inverness 196
- REDPOWELL, HORNEMANN'S, Lewis 251, 348
- REDPOWELL, LESSER, 22, 158, 188, 348
- REDPOWELL, MEALY, Isle of May 281
- REDSHANK, 50, 71, 75, 77, 95, 130, 146, 162, 163, 257, 298, 354, 357, 363, 371, 415; Iceland race 193, 316, 354
- REDSHANK, SPOTTED, autumn 21, 51, 147, 163, 193, 214, 257, 282, 316, 354, 383, 416, 488; winter 147, 316, 378; spring 41, 206, 263, 345
- REDSTART, 72, 77, 155, 211, 358, 441, 483; November 22, 283
- REDSTART, BLACK, migrants 18, 19, 20, 22, 75, 107, 155, 211, 263, 279, 281, 299, 347, 381, 416, 473, 484; July 22
- REDWING, 72, 74, 75, 77, 94, 95, 107, 155, 163, 228, 229, 232, 299, 312, 320, 358, 370, 371, 372, 416; summer and breeding 175, 325, 441, 492; winter song 108; Iceland race 441

- ROBIN, 22, 77, 95, 130, 155, 163, 200, 211, 230, 299, 356, 358, 371, 372, 373, 432; nesting beside Blackbird 37
- ROBIN, AMERICAN, first in Scotland 343
- ROCKTHRUSH, St Kilda 299
- ROOK, 52, 68, 71, 91, 95, 130, 153, 163, 166, 185, 267, 299, 355, 358, 370
- RUFF, autumn 41, 51, 105, 148, 163, 214, 258, 283, 299, 317, 345, 416, 489; winter 105, 317, 379; spring 436
- SANDLING, 71, 147, 194, 258, 299, 416; inland 258
- SANDGROUSE, PALLAS'S, old records 151, 163
- SANDPIPER, BROAD-BILLED, Tentsmuir 147, 163
- SANDPIPER, BUFF-BREASTED, St Kilda 299, 345
- SANDPIPER, COMMON, 95, 146, 163, 206, 214, 316, 357, 416, 436
- SANDPIPER, CURLYW, autumn 147, 163, 258, 316, 416, 489; spring 436; 29th June 489
- SANDPIPER, GREEN, autumn 21, 41, 50, 146, 163, 257, 316, 345, 416, 488; winter 42, 50, 64, 146, 163, 206, plate 13, 257, 378; spring 206, 436
- SANDPIPER, PECTORAL, 350; Lanark 316; Fair Isle 345
- SANDPIPER, PURPLE, 75, 77, 94, 147, 231, 263, 298, 357; request for information 111
- SANDPIPER, SEMIPALMATED, correction of Scottish records 342
- SANDPIPER, WESTERN, first in Scotland 196, 342
- SANDPIPER, WOOD, autumn 41, 50, 146, 163, 214, 257, 345, 488; spring 193, 488; summer 488; breeding in Sutherland 175, 309
- SCAUP, 45, 134, 202, 254, 298, 370, 371, 374, 419; inland 45, 106, 134, 163, 172, 254, 312, 485; summer 106, 134, 172, 254, 434, 485
- SCOTER, COMMON, 70, 76, 135, 163, 357, 371, 374, 415; breeding 130, 135, 349; inland 46, 135, 163, 374
- SCOTER, SURF, Tentsmuir 135; Orkney 306
- SCOTER, VELVET, 40, 66, 70, 135, 163, 193, 313, 344, 371, 374, 415, 434, 485; inland 135, 163
- SHAG, 23, 94, 132, 230, 353, 360, 371, 373, 413, 485; behaviour 445
- SHEARWATER, CORY'S, Outer Hebrides 417
- SHEARWATER, GREAT, Sutherland 304, 353; Outer Hebrides 417
- SHEARWATER, MANX, 21, 74, 132, 280, 297, 353, 412, 433, 484; correction 57; inland 192; movements in Sutherland, Ross and Outer Hebrides 304, 417
- SHEARWATER, SOOTY, 214, 280, 353, 382, 472, 484; movements in Sutherland, Ross and Outer Hebrides 304, 417
- SHELDUCK, 116, 126, 130, 136, 161, 163, 254, 267, 284, 360, 371, 376, 414; well inland 46, 104, 202, 313, 376
- SHELDUCK, RUDDY, Tentsmuir 136
- SHOVELER, 45, 130, 134, 161, 163, 202, 312
- SHRIKE, GREAT GREY, 54, 106, 195, 213, 283, 323, 382, 494; method of pursuit 39
- SHRIKE, LESSER GREY, Ayr 195
- SHRIKE, RED-BACKED, autumn 19, 283, 323, 483, 484; spring 157
- SISKIN, migrants and winter 20, 54, 74, 78, 106, 158, 195, 213, 323, 348, 359; breeding 130, 158, 213, 493
- SKUA, ARCTIC, 42, 148, 206, 259, 346, 354, 363, 409, 416; movements in Sutherland and Ross 304; November 51; inland 51; killing Swift 265
- SKUA, GREAT, 51, 71, 148, 182, 206, 346, 354, 357, 363, 416, 490; movements in Sutherland and Ross 304; breeding at St Kilda 427; recovered in Greenland 407
- SKUA, LONG-TAILED, 148, 206, 418
- SKUA, POMARINE, 51, 148; inland 42; Ross 305
- SKYLARK, 52, 74, 75, 77, 95, 130, 152, 163, 232, 299, 319, 355, 358, 360, 372, 381, 432

- SMEW, 46, 104, 136, 202, 263, 313, 376, 415, 434; correction 57
- SNIPE, 70, 73, 75, 95, 104, 130, 145, 163, 231, 298, 312, 315, 354, 360, 416, 430
- SNIPE, GREAT, Tentsmuir 145, 163
- SNIPE, JACK, 41, 70, 75, 95, 145, 163, 312
- SPARROW HEDGE, 23, 76, 95, 130, 156, 163, 212, 359, 363, 371, 372, 373, 432
- SPARROW, HOUSE, 76, 96, 130, 159, 163, 189, 300, 432; unseasonable breeding 102; nesting in Rooks' nests 213; albino 108
- SPARROW, SONG, first in Scotland 408
- SPARROW, TREE, 44, 96, 106, 130, 159, 189, 213, 263, 324, 348, 350, 382 (corrected 447), 444, 493; Sutherland 39, 44; breeding St Kilda 310, plate 15; in Rooks' nests 213
- SPARROWHAWK, 76, 130, 141, 163, 165, 179, 354, 421
- SPOONBILL, Dumfries 242, 343
- STARLING, 22, 76, 96, 130, 157, 163, 187, 228, 229, 232, 262, 356, 359, 363, 382, 415, 432; double brooding 495; long bill 56; albino 384, 447
- STARLING, ROSE-COLOURED, Fife 157, 251
- STINT, LITTLE, autumn 21, 147, 163, 193, 258, 282, 316, 383, 489
- STONECHAT, 22, 53, 130, 155, 163, 195, 210, 363, 414, 431; Siberian race 350
- STORK, WHITE, Dumfries 196, 343
- SWALLOW, 22, 52, 71, 93, 95, 130, 152, 163, 200, 209, 261, 284, 299, 320, 355, 358, 433, 440, 492; behaviour 446
- SWAN, BEWICK'S, 48, 104, 141, 163, 205, 377, 435; weight 48
- SWAN, MUTE, 130, 141, 163, 255; foot injured by ice 383
- SWAN, WHOOPER, 48, 75, 104, 141, 163, 204, 256, 277, 283, 298, 314, 377, 434, 487; summer 204, 255, 298, 314, 434, 487; adult with pink bill 56, 107, 384
- SWIFT, 71, 130, 152, 163, 200, 208, 260, 299, 318, 355, 439; killed by Arctic Skua 265
- SWIFT, ALPINE, 350; Shetland 249, 346
- TEAL, 69, 73, 95, 130, 133, 161, 163, 195, 297, 353, 370
- TEAL, BAIKAL, 196, 350
- TEAL, GREEN-WINGED, Midlothian 192, 343; notes on Tay and Forth records 343; Inverness 418
- TERN, Sp., 23; inland 52
- TERN, COMMON or ARCTIC, 71, 75, 317; inland migration 36; inland 260, 438, 491
- TERN, ARCTIC, 122, 130, 150, 207, 239, 355, 360, 414; inland 207, 491; perching in trees 266
- TERN, BLACK, autumn 149, 163, 259, 317, 346, 383, 444, 491; spring 149, 163, 437
- TERN, COMMON, 121, 130, 150, 207, 239, 318, 355, 414, 438; inland 52, 150, 163, 207, 260, 438, 491; perching in trees 266
- TERN, LITTLE, 106, 123, 130, 150, 208, 239, 346, 414, 438, 491; breeding in potato fields 332
- TERN, ROSEATE, Tentsmuir 124, 130, 150, 239; Forth and neighbouring colonies 286, plate 14, 349, 450
- TERN, SANDWICH, 52, 123, 130, 150, 195, 207, 208, 239, 318, 357, 414, 438; Forth and neighbouring colonies 286, plate 14, 450; inland 260
- THRUSH, DUSKY, first in Scotland 343, 408
- THRUSH, MISTLE, 95, 130, 154, 163, 356, 432, 492
- THRUSH, SONG, 72, 75, 77, 95, 130, 154, 163, 228, 232, 299, 355, 358, 371, 372, 431, 432; 7 eggs 215; Continental race 194; Hebridean race in Ayr 322
- TIT, BLUE, 43, 57, 77, 91, 95, 130, 154, 163, 186, 210, 261, 347, 358, 432, 440; nocturnal behaviour 37
- TIT, COAL, 130, 154, 163, 373, 432
- TIT, CRESTED, 186
- TIT, GREAT, 57, 91, 95, 130, 154, 163, 185, 210, 347, 432
- TIT, LONG-TAILED, 22, 77, 130, 154, 186, 347, 350, 364, 373, 430

- TIT, WILLOW, 64
- TREECREEPER, 19, 20, 93, 95, 130, 154, 350, 358, 372, 373, 431, 432, 440; some breeding notes 249; Northern race 281, 358
- TURNSTONE, 70, 95, 145, 193, 228, 231, 265, 298, 325, 345, 354, 416; inland 256
- TWITE, passage and winter 55, 106, 158, 213, 214, 232, 262, 324, 356, 359, 382, 493; breeding 130, 158, 356, 363
- WAGTAIL, GREY, 93, 96, 157, 163, 432
- WAGTAIL PIED, 23, 76, 93, 96, 130, 157, 163, 262, 284, 300, 356, 363, 372, 432, 443; food 101
- WAGTAIL, WHITE, 72, 93, 96, 157, 262, 300, 356; recovered in W. Africa 408
- WAGTAILS, "YELLOW," 54, 157, 212, 262, 359, 443, 493; "Blue-headed" 212, 444, 493; "Grey-headed" 300, 443
- WARBLER, ARCTIC, correction 18, 194; Isle of May 22, 348
- WARBLER, BARRED, autumn 19, 280, 281, 473, 483
- WARBLER, BONELLI'S, first in Scotland 343, 408
- WARBLER, DUSKY, Fair Isle 348
- WARBLER, GARDEN, 22, 78, 91, 95, 156, 186, 194, 211, 299, 356, 358, 442, 483, 492
- WARBLER, GRASSHOPPER, 19, 211, 442
- WARBLER, MARSH, Isle of May 483
- WARBLER, RADDE'S (BUSH), first in Scotland 283, 367
- WARBLER, REED, Isle of May 280, 483
- WARBLER, RIVER, first in Scotland 343, 408
- WARBLER, SEDGE, 22, 91, 95, 130, 156, 163, 211, 262, 299, 358, 415, 432, 442
- WARBLER, WILLOW, 72, 78, 91, 95, 130, 156, 163, 200, 212, 215, 299, 356, 359, 432, 442, 483; winter 322
- WARBLER, WOOD, 91, 187, 262
- WARBLER, YELLOW-BROWED, Isle of May 20, 281, 367; Stirling 194; Lewis 250
- WAXWING, 74, 93, 94, 157, 213, 323, 348, 381, 444; November 1961 invasion 85
- WHEATEAR, 72, 75, 77, 103, 130, 155, 163, 200, 210, 284, 299, 356, 358, 360, 413, 441, 484; November/December 322; "Greenland" 72, 77, 155, 210, 347, 356, 358
- WHIMBREL, autumn 21, 41, 71, 146, 214, 256, 298, 345, 354, 416; spring 44, 146, 205, 298, 436; breeding and summer 71, 175, 195, 459; speed of flight 265
- WHINCHAT, 22, 77, 95, 130, 155, 163, 211, 358, 441, 483, 492
- WHITE THROAT, 78, 90, 95, 130, 156, 163, 211, 433, 442, 484
- WHITE THROAT, LESSER, spring 433, 442; autumn 20, 473, 483, 484
- WIGEON, 40, 45, 130, 133, 161, 163, 176, 254, 297, 349, 415
- WOODCOCK, 21, 50, 73, 94, 95, 130, 145, 163, 182, 205, 231, 282, 298, 357, 371, 372; albino 56
- WOODPECKER, GREAT SPOTTED, 43, 152, 184, 194, 209, 261, 347, 350, 363, 373; 1962 influx of "Northern" birds 283, 319, 357, 380; behaviour 107
- WOODPECKER, GREEN, 43, 195, 209, 261, 318, 346, 349, 380, 430, 444, 491
- WOODPIGEON, 93, 95, 130, 151, 163, 183, 299, 371, 373, 430; winter movements 105, 151, 283, 379; nest near Peregrine 214; nest on ground 495
- WREN, 75, 76, 95, 130, 154, 163, 229, 232, 312, 356, 360, 372, 431, 432
- WRYNECK, spring 283, 445; autumn 483, 484
- YELLOWHAMMER, 130, 158, 163, 432

SCIENTIFIC NAMES OF SPECIES INCLUDED IN INDEX

Species not mentioned in the index are not included here. Except for the order of species within certain genera, scientific nomenclature follows the 1952 B.O.U. *Check-List of the Birds of Great Britain and Ireland* with the changes recommended in 1956 by the Taxonomic Sub-Committee (*Ibis* 98: 158-168), and the 1957 decisions of the International Commission on Zoological Nomenclature (*Ibis* 99: 569). English names follow *The Handbook of British Birds* with the alterations proposed in *British Birds* in January 1953 (46: 2-3) and January 1956 (49: 5).

<i>Gavia immer</i>	Great Northern Diver	<i>Somateria mollissima</i>	Eider
<i>Gavia adamsii</i>	White-billed Diver	<i>Somateria spectabilis</i>	King Eider
<i>Gavia arctica</i>	Black-throated Diver	<i>Mergus merganser</i>	Goosander
<i>Gavia stellata</i>	Red-throated Diver	<i>Mergus serrator</i>	Red-breasted Merganser
<i>Podiceps cristatus</i>	Great Crested Grebe	<i>Mergus albellus</i>	Smew
<i>Podiceps grisegena</i>	Red-necked Grebe	<i>Tadorna tadorna</i>	Shelduck
<i>Podiceps auritus</i>	Slavonian Grebe	<i>Casarca ferruginea</i>	Ruddy Shelduck
<i>Podiceps nigricollis</i>	Black-necked Grebe	<i>Anser anser</i>	Grey Lag Goose
<i>Podiceps ruficollis</i>	Little Grebe	<i>Anser albifrons</i>	White-fronted Goose
<i>Oceanodroma leucorhoa</i>	Leach's Petrel	<i>Anser arvensis arvensis</i>	Bean Goose
<i>Hydrobates pelagicus</i>	Storm Petrel	<i>Anser arvensis brachyrhynchus</i>	Pink-footed Goose
<i>Procellaria punctata</i>	Manx Shearwater	<i>Anser caerulescens</i>	Snow Goose
<i>Procellaria gravis</i>	Great Shearwater	<i>Anser rossi</i>	Ross's Goose
<i>Procellaria diomedea</i>	Cory's Shearwater	<i>Branta bernicla</i>	Brent Goose
<i>Procellaria grisea</i>	Sooty Shearwater	<i>Branta leucopsis</i>	Barnacle Goose
<i>Fulmarus glacialis</i>	Fulmar	<i>Branta canadensis</i>	Canada Goose
<i>Sula bassana</i>	Gannet	<i>Cygnus olor</i>	Mute Swan
<i>Phalacrocorax carbo</i>	Cormorant	<i>Cygnus cygnus</i>	Whooper Swan
<i>Phalacrocorax aristotelis</i>	Shag	<i>Cygnus columbianus</i>	Bewick's Swan
<i>Pelecanus</i> sp.	Pelican	<i>Aquila chrysaetos</i>	Golden Eagle
<i>Fregata</i> sp.	Frigate Bird	<i>Buteo buteo</i>	Buzzard
<i>Ardea cinerea</i>	Heron	<i>Buteo lagopus</i>	Rough-legged Buzzard
<i>Egretta garzetta</i>	Little Egret	<i>Accipiter nisus</i>	Sparrowhawk
<i>Nycticorax nycticorax</i>	Night Heron	<i>Accipiter gentilis</i>	Goshawk
<i>Botaurus stellaris</i>	Bittern	<i>Vilvus milvus</i>	Kite
<i>Ciconia ciconia</i>	White Stork	<i>Haliaetus albicilla</i>	White-tailed Eagle
<i>Platalea leucorodia</i>	Spoonbill	<i>Pernis apivorus</i>	Honey Buzzard
<i>Plegadis falcinellus</i>	Glossy Ibis	<i>Circus aeruginosus</i>	Marsh Harrier
<i>Anas platyrhynchos</i>	Mallard	<i>Circus cyaneus</i>	Hen Harrier
<i>Anas crecca</i>	Teal	<i>Circus pygargus</i>	Montagu's Harrier
<i>Anas crecca carolinensis</i>	Green-winged Teal	<i>Pandion haliaetus</i>	Osprey
<i>Anas formosa</i>	Baikal Teal	<i>Falco peregrinus</i>	Peregrine
<i>Anas querquedula</i>	Garganey	<i>Falco rusticolus</i>	Gyr Falcon
<i>Anas strepera</i>	Gadwall	<i>Falco rusticolus islandus</i>	Iceland Falcon
<i>Anas penelope</i>	Wigeon	<i>Falco columbarius</i>	Merlin
<i>Anas americana</i>	Baldpate	<i>Falco vespertinus</i>	Red-footed Falcon
<i>Anas acuta</i>	Pintail	<i>Falco tinnunculus</i>	Kestrel
<i>Spatula clypeata</i>	Shoveler	<i>Lagopus lagopus</i>	Red Grouse
<i>Netta rufina</i>	Red-crested Pochard	<i>Lagopus mutus</i>	Ptarmigan
<i>Aythya collaris</i>	Ring-necked Duck	<i>Lyrurus tetrix</i>	Black Grouse
<i>Aythya marila</i>	Scaup	<i>Tetrao urogallus</i>	Capercaillie
<i>Aythya fuligula</i>	Tufted Duck	<i>Alectoris rufa</i>	Red-legged Partridge
<i>Aythya ferina</i>	Pochard	<i>Perdix perdix</i>	Partridge
<i>Bucephala clangula</i>	Goldeneye	<i>Coturnix coturnix</i>	Quail
<i>Clangula hyemalis</i>	Long-tailed Duck	<i>Phasianus colchicus</i>	Pheasant
<i>Melanitta fusca</i>	Velvet Scoter	<i>Megalornis grus</i>	Crane
<i>Melanitta perspicillata</i>	Surf Scoter	<i>Rallus aquaticus</i>	Water Rail
<i>Melanitta nigra</i>	Common Scoter		

<i>Porzana porzana</i>	Spotted Crake	<i>Larus melanocephalus</i>	Mediterranean
<i>Porzana pusilla</i>	Baillon's Crake	<i>Black-headed Gull</i>	
<i>Porzana parva</i>	Little Crake	<i>Larus minutus</i>	Little Gull
<i>Crex crex</i>	Corncrake	<i>Larus ridibundus</i>	Black-headed Gull
<i>Gallinula chloropus</i>	Moorhen	<i>Xema sabini</i>	Sabine's Gull
<i>Fulica atra</i>	Coot	<i>Rissa tridactyla</i>	Kittiwake
<i>Haematopus ostralegus</i>	Oystercatcher	<i>Chlidonias niger</i>	Black Tern
<i>Vanellus vanellus</i>	Lapwing	<i>Sterna hirundo</i>	Common Tern
<i>Charadrius hiaticula</i>	Ringed Plover	<i>Sterna macrura</i>	Arctic Tern
<i>Charadrius alexandrinus</i>	Kentish Plover	<i>Sterna dougallii</i>	Roseate Tern
<i>Charadrius squatarola</i>	Grey Plover	<i>Sterna albifrons</i>	Little Tern
<i>Charadrius apricarius</i>	Golden Plover	<i>Sterna sandvicensis</i>	Sandwich Tern
<i>Charadrius morinellus</i>	Dotterel	<i>Alca torda</i>	Razorbill
<i>Arenaria interpres</i>	Turnstone	<i>Plautus alle</i>	Little Auk
<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	<i>Uria aalge</i>	Gullmöt
<i>Gallinago gallinago</i>	Snipe	<i>Cephus grylle</i>	Black Guillemot
<i>Gallinago media</i>	Great Snipe	<i>Fratercula arctica</i>	Puffin
<i>Limnocryptes minimus</i>	Jack Snipe	<i>Syrrhaptes paradoxus</i>	Pallas's Sand- grouse
<i>Scolopax rusticola</i>	Woodcock	<i>Columba oenas</i>	Stock Dove
<i>Numenius arquata</i>	Curlew	<i>Columba livia</i>	Rock Dove
<i>Numenius phaeopus</i>	Whimbrel	<i>Columba palumbus</i>	Woodpigeon
<i>Limosa limosa</i>	Black-tailed Godwit	<i>Streptopelia turtur</i>	Turtle Dove
<i>Limosa lapponica</i>	Bar-tailed Godwit	<i>Streptopelia decaocto</i>	Collared Dove
<i>Tringa ochropus</i>	Green Sandpiper	<i>Cuculus canorus</i>	Cuckoo
<i>Tringa glareola</i>	Wood Sandpiper	<i>Tyto alba</i>	Barn Owl
<i>Tringa hypoleucos</i>	Common Sandpiper	<i>Nyctea scandiaca</i>	Snowy Owl
<i>Tringa totanus</i>	Redshank	<i>Athene noctua</i>	Little Owl
<i>Tringa erythropus</i>	Spotted Redshank	<i>Strix aluco</i>	Tawny Owl
<i>Tringa nebularia</i>	Greenshank	<i>Asio otus</i>	Long-eared Owl
<i>Calidris canutus</i>	Knot	<i>Asio flammeus</i>	Short-eared Owl
<i>Calidris maritima</i>	Purple Sandpiper	<i>Aegolius funereus</i>	Tengmalm's Owl
<i>Calidris minuta</i>	Little Stint	<i>Caprimulgus europaeus</i>	Nightjar
<i>Calidris melanotos</i>	Pectoral Sandpiper	<i>Apus apus</i>	Swift
<i>Calidris alpina</i>	Dunlin	<i>Apus melba</i>	Alpine Swift
<i>Calidris testacea</i>	Curlew Sandpiper	<i>Alcedo atthis</i>	Kingfisher
<i>Calidris pusilla</i>	Semipalmated Sandpiper	<i>Upupa epops</i>	Hoopoe
<i>Calidris mauri</i>	Western Sandpiper	<i>Picus viridis</i>	Green Woodpecker
<i>Croceethia alba</i>	Sanderling	<i>Dendrocopos major</i>	Great Spotted Wood- pecker
<i>Tryngites subruficollis</i>	Buff-breasted Sandpiper	<i>Jynx torquilla</i>	Wryneck
<i>Limicola falcinellus</i>	Broad-billed Sand- piper	<i>Melanocorypha leucomela</i>	White-winged Lark
<i>Philomachus pugnax</i>	Ruff	<i>Alauda arvensis</i>	Skylark
<i>Phalaropus fulicarius</i>	Grey Phalarope	<i>Eremophila alpestris</i>	Shore Lark
<i>Phalaropus lobatus</i>	Red-necked Phala- rope	<i>Hirundo rustica</i>	Swallow
<i>Phalaropus tricolor</i>	Wilson's Phalarope	<i>Delichon urbica</i>	House Martin
<i>Catharacta skua</i>	Great Skua	<i>Riparia riparia</i>	Sand Martin
<i>Stercorarius pomarinus</i>	Pomarine Skua	<i>Corvus corax</i>	Raven
<i>Stercorarius parasiticus</i>	Arctic Skua	<i>Corvus corone corone</i>	Carrion Crow
<i>Stercorarius longicaudus</i>	Long-tailed Skua	<i>Corvus corone cornix</i>	Hooded Crow
<i>Pagophila eburnea</i>	Ivory Gull	<i>Corvus frugilegus</i>	Rook
<i>Larus martinus</i>	Great Black-backed Gull	<i>Corvus monedula</i>	Jackdaw
<i>Larus fuscus</i>	Lesser Black-backed Gull	<i>Pica pica</i>	Magpie
<i>Larus argentatus</i>	Herring Gull	<i>Garrulus glandarius</i>	Jay
<i>Larus canus</i>	Common Gull	<i>Pyrrhocorax pyrrhocorax</i>	Chough
<i>Larus hyperboreus</i>	Glaucous Gull	<i>Parus major</i>	Great Tit
<i>Larus glaucopterus</i>	Iceland Gull	<i>Parus caeruleus</i>	Blue Tit
		<i>Parus ater</i>	Coal Tit
		<i>Parus cristatus</i>	Crested Tit

- Parus montanus* Willow Tit
Aegithalos caudatus Long-tailed Tit
Certhia familiaris Treecreeper
Troglodytes troglodytes Wren
Cinclus cinclus Dipper
Turdus viscivorus Mistle Thrush
Turdus pilaris Fieldfare
Turdus philomelos Song Thrush
Turdus musicus Redwing
Turdus eunomus Dusky Thrush
Turdus torquatus Ring Ouzel
Turdus merula Blackbird
Turdus migratorius American Robin
Monticola saxatilis Rockthrush
Oenanthe oenanthe Wheatear
Oenanthe oenanthe leucorrhoa "Green-
land" Wheatear
Saxicola torquata Stonechat
Saxicola rubetra Whinchat
Phoenicurus phoenicurus Redstart
Phoenicurus ochruros Black Redstart
Luscinia megarhynchos Nightingale
Cyanosylvia svecica Bluethroat
Erythacus rubecula Robin
Locustella naevia Grasshopper Warbler
Locustella fluviatilis River Warbler
Acrocephalus scirpaceus Reed Warbler
Acrocephalus palustris Marsh Warbler
Acrocephalus schoenobaenus Sedge War-
bler
Sylvia atricapilla Blackcap
Sylvia nisoria Barred Warbler
Sylvia borin Garden Warbler
Sylvia communis Whitethroat
Sylvia curruca Lesser Whitethroat
Phylloscopus trochilus Willow Warbler
Phylloscopus collybita Chiffchaff
Phylloscopus sibilatrix Wood Warbler
Phylloscopus bonelli Bonelli's Warbler
Phylloscopus borealis Arctic Warbler
Phylloscopus inornatus Yellow-browed
Warbler
Phylloscopus fuscatus Dusky Warbler
Phylloscopus schwarzi Rüdde's (Bush)
Warbler
Regulus regulus Goldcrest
Muscicapa striata Spotted Flycatcher
Muscicapa hypoleuca Pied Flycatcher
Muscicapa albicollis Collared Flycatcher
Muscicapa parva Red-breasted Flycatcher
Prunella modularis Hedge Sparrow or
Dunnock
Anthus campestris Tawny Pipit
Anthus trivialis Tree Pipit
Anthus pratensis Meadow Pipit
- Anthus cervinus* Red-throated Pipit
Anthus spinoletta Rock Pipit
Motacilla alba garrelli Pied Wagtail
Motacilla alba alba White Wagtail
Motacilla cinerea Grey Wagtail
Motacilla flava "Yellow" Wagtails
Motacilla flava flava Blue-headed Wag-
tail
Motacilla flava thunbergi Grey-headed
Wagtail
Bombycilla garrulus Waxwing
Lanius excubitor Great Grey Shrike
Lanius minor Lesser Grey Shrike
Lanius cristatus collaris Red-backed
Shrike
Sturnus vulgaris Starling
Sturnus roseus Rose-coloured Starling
Coccothraustes coccothraustes Hawfinch
Chloris chloris Greenfinch
Carduelis carduelis Goldfinch
Carduelis spinus Siskin
Carduelis cannabina Linnet
Carduelis flavirostris Twite
Carduelis flammea Redpoll
Carduelis flammea disruptis Lesser Red-
poll
Carduelis flammea flammea Mealy Red-
poll
Carduelis flammea rostrata Greenland
Redpoll
Carduelis hornemannii Arctic Redpoll
Carduelis hornemannii hornemannii
Hornemann's Redpoll
Pyrrhula pyrrhula Bullfinch
Loxia curvirostra Crossbill (N.B. Some
notes on "Crossbills" may refer to
Scottish and Parrot Crossbills).
Loxia pityopsittacus Parrot Crossbill
Loxia pityopsittacus scotica Scottish
Crossbill
Fringilla coelebs Chaffinch
Fringilla montifringilla Brambling
Melospiza melodia Song Sparrow
Emberiza calandra Corn Bunting
Emberiza citrinella Yellowhammer
Emberiza bruniceps Red-headed Bunting
Emberiza aureola Yellow-breasted Bun-
ting
Emberiza hortulana Orltolan Bunting
Emberiza rustica Rustic Bunting
Emberiza schoeniclus Reed Bunting
Calcarius lapponicus Lapland Bunting
Plectrophenax nivalis Snow Bunting
Passer domesticus House Sparrow
Passer montanus Tree Sparrow

**Please complete
the Binding Form
overleaf**

RECEIPT FOR SCOTTISH BIRDS BINDING

From G. BLUNT & SONS LTD., North Acton Road, Harlesden,
London N.W.10.

We acknowledge with thanks receipt of your parcel
of issues of SCOTTISH BIRDS for binding, and your
remittance of £..... s..... d

Date.....

G. BLUNT & SONS LTD.

BOOKS - Handle with Care

Name.....

Address.....
.....
.....

VOLUMES ENCLOSED :

To : G. BLUNT & SONS LTD., North Acton Road, Harlesden,
London N.W.10.

I enclose cheque P.O. £..... .s.....d for binding in

- Buckram
- Quarter Leather

Please mark your choice in space above. Binding rates are: Buckram 16s 10d post paid; Quarter Leather 20s 5d post paid.

Please fill in your Name and Address in both spaces on this page.

Failure to do so may cause delay. The lower half of this sheet will be sent back to you as a receipt; the upper half is the label for the return of your bound volume.

Name.....

Address.....
.....
.....